

Parker®

PRODUCT CATALOG

Lawn Sweepers



Hurricane® Plus Blowers



Thatch-O-Matic® Power Rakes



All Purpose Vacuums



Vac-35® Litter Vacuums



Portable Truck Loaders



BUILT TO LAST SINCE 1920



Parker®

The History of the Parker Company

Parker Company Inc., is the oldest manufacturer of lawn sweepers and debris-handling equipment in the world. The story of Parker reveals an interesting heritage. In 1878, William Parker a pattern maker, left England for America and moved to Springfield, Ohio which at the time was a hub for agricultural equipment manufacturing. He established a pattern-making shop in 1884 called the W.T. Parker Manufacturing Company. In 1915, he renamed it Parker Pattern Works Company and created a machine that gave birth to the lawn sweeping industry.

In 1921, a Chicago hardware company was the first recorded customer to purchase a sweeper. After that initial sale Parker began producing lawn sweepers on a larger scale. When the lawn sweeping business boomed, Parker split into two separate companies. Pattern making continued under the already established company name while the Springfield Lawn Sweeper Company concentrated on making lawn sweepers. The advent of World War II temporarily changed the operations of both companies. They were joined back together to form the Parker Pattern and Foundry Company which manufactured military parts.

After the war the company returned its focus to lawn sweepers. They introduced machines suitable for domestic lawn care use and experienced a period of growth and expansion. In 1948, the company changed its name to the Parker Sweeper Company.

On the international front, in the mid 1950s Parker's products reached South America, Europe, Africa, the Soviet Union, Japan and the Far East. By the late 1960s, its product line included powered or trailing lawn sweepers, power rakes, debris removal equipment and indoor/outdoor vacuums. During the late 1970s, international sales accounted for 20% of Parker's sales.

In 1991 Minuteman International purchased Parker Sweeper Company

In 2007 Kwik Products, Inc. acquired the assets of Parker Sweeper Company

Today, Parker Company Inc. manufactures Lawn Sweepers, Blowers, Dethatchers, All Purpose Litter Vacuums and Portable Truck Loaders in its of-state-of-the-art facility located in Phoenix, Arizona, U.S.A.

Thank You for considering the Parker Company.



Fernando Iacona
President

Manufacturer of Professional Grounds and Facilities Maintenance Equipment Since 1920



Museum Picture

The Parker Sweeper Company of Springfield, Ohio sold the Electro-Sweep ES-5628 in the late 1950's. This Lawn Sweeper is not unlike models still used today. The motor drives the brushes, which in turn sweep leaves and other yard debris into the canvas catcher.

The sweeper pictured here belonged to Elna Eileen Ridgway of Atwood in Rawlins County and was given to the Kansas Museum of History by her son Evan.

1920




1935




Today



Made In America



Laser Cut Tolerances



Fully Welded Seams



Precision Forming



Hand Crafted

Lawn Sweepers

Dependable • Long-lasting • Effective



E-Z[®] Dump Baskets

Arlington[®]

SPECIFICATIONS

Model No. AS8636

Light duty home model

Small to medium lawns

36" sweeping width

10 cu ft capacity basket

Cast iron wheels 10" x 1.75"

E-Z[®] Dump baskets

70 lbs, 42"L x 35"H x 42"W



The most basic tool for maintaining a beautiful lawn
Easily towed by a front engine turf and garden tractor, zero turn riding mower or an
ATV with a rear hitch hole
Easily picks up grass, leaves, twigs and debris
Sealed ball bearings on the brush axle for extended life



E-Z® Dump Baskets



Trailette®

SPECIFICATIONS

Model No. TE9036

Heavy duty home model

Medium to large lawns

36" sweeping width

10 cu ft capacity basket

Cast iron wheels 10.5" x 2.5"

E-Z® Dump baskets

85 lbs, 44"L x 35"H x 42"W



FEATURES

Eight polypropylene, steel-backed brushes in four staggered rows

Variable height adjustment for brushes independent of the frame

Front face plate has variable vertical adjustment helping to control how effected into the basket

Heavy duty rear casters

Sintered pinion gears

Sealed ball bearings on brush axle

Tubular steel frames

Reinforced vinyl baskets

Solid bottom

Tow bars independent of the height adjustment

Wind apron on top

Turf Sweepers

Reliable • Durable • Efficient

Suburbanite®



SPECIFICATIONS

Model No. SU8336, hard bottom
Model No. SU0536M, mesh bottom
Commercial model
Large turf areas
36" sweeping width
17 cu ft capacity basket
Cast iron wheels 10.5" x 2.5"
113 lbs, 62"L x 32"H x 46"W



Available Mesh Bottom

FEATURES

Eight polypropylene, steel-backed brushes in four staggered rows
Variable height adjustment for brushes independent of the frame
Front face plate has variable vertical adjustment helping to control how debris is deflected into the basket

Heavy duty rear casters
Sintered pinion gears
Sealed ball bearings on brush axle
Tubular steel frames

Reinforced vinyl baskets
Solid bottom
Tow bars independent of the height adjustment
Wind apron on top

**Used by professionals worldwide who demand maximum performance
A proven tool that will immediately produce a groomed look to your turf
Hard and mesh bottom baskets are available**

The #1 Recommended Sweeper by Sports Turf Professionals

- 3 Suburbanites® gang hitched together for a 100” sweep & 51 cu ft load capacity
- After sweeping a field there is a noticeable more groomed and uniform appearance
- The mesh bottom basket used on synthetic turf allows the rubber compound to fall back onto the field while picking up litter

Estate Master®



SPECIFICATIONS

Model No. EM83100, hard bottom

Model No. EM05100M, mesh bottom

Formed by hitching 3 Suburbanites® together

Athletic fields, golf courses, parks and large turf areas

100” sweeping width

369 lbs, 200”L x 32”H x 108”W

Hurricane® Plus Blowers

Powerful • Dependable • Sturdy



5HP Honda GC



6HP Briggs & Stratton



8HP Briggs & Stratton



9HP Honda GX

EXCLUSIVE HURRICANE FORCE AIR FLOW



Adjustable Discharge Chute

SPECIFICATIONS

Housing	12 gauge steel, fully welded
Impellers	5 & 6HP are 6-blade steel 8HP & up are 10-blade steel
CFM	1100 on 5 & 6HP 2100 on 8, 9 & 10HP 2600 on 16HP
Frame	12 gauge steel
Axles	Solid steel
Rear Wheels	10-3/4" x 3-1/2" ball bearing, cleated pneumatic
Front Wheel	8" x 2" high tech poly resin on the 5HP
Handles	16 gauge 1" tubular steel Vibration absorbing comfort grip Adjustable height
Venturi air inlet	for smooth maximum airflow and improved performance
Discharge chute	is hand controlled allowing for front and side airflow
Throttle control handle	mounted in easy reach of operator on 8HP models and up

6 and 10 blade impeller made from steel, computer balanced for high efficiency and durability. Threaded hub allows for easy impeller removal.



Setting the industry standard for power and maneuverability

Superior construction makes it these the best on the market

Fully welded housing

Easily maneuverable on rough terrain

Hurricane® Plus Blowers



10HP Briggs & Stratton



Pivoting Front Wheel - Standard on 16HP, Optional on 8, 9, 10HP



16HP Briggs & Stratton V-Twin

MODEL	ENGINE / APPROX. HP	WEIGHT (LBS)	OVERALL DIMENSIONS (IN)
HT0805H	5HP Honda GC	112	44L x 38H x 24W
HT0806B	6HP Briggs & Stratton Intek OHV	135	44L x 38H x 24W
HT0808B	8HP Briggs & Stratton Intek OHV	154	50L x 38H x 24W
HT0809H	9HP Honda GX	158	50L x 38H x 24W
HT0810B	10HP Briggs & Stratton Intek OHV	162	50L x 38H x 24W
HT0816B	16HP Briggs & Stratton V-Twin OHV	205	48L x 40H x 31W

Thatch-O-Matic® Power Rakes


Out Performs • Out Works • Out Lasts the Competition



5HP Honda GC



Optional Bag



Safety Gaurd Rear Gate




SPECIFICATIONS

Housing	Heavy duty, fully welded 12 gauge steel
Reels	Tine and flail available on all models
Rake Width	19"
Height Adjustment	12 positions that move in 1/4" increments from 1" to 4" with a locking collar
Deflector	Pivots
Idler	Spring loaded pulley for positive engagement
Control System	Bail
Handles	16 gauge 1" tubular steel Vibration absorbing comfort grip Adjustable height
Wheels- Front	Solid rubber, 7-1/2" x 1-3/4" with sealed bearing and steel hub
Wheels- Back	Semi-pneumatic, 10" x 3-1/2"

The workhorse for commercial landscapers for almost a half century
Rugged durability for commercial and rental applications
Efficiently removes matted thatch with spring tine or flail blade
Manually operated clutch lever for operator safety

Thatch-O-Matic® Power Rakes



Flail Reel



Tine Reel

6HP Briggs & Stratton

Model	Reel	Engine / Approx. HP	Weight (lbs)	Overall Dimensions (in)
PR0605TH	Tine	5HP Honda GC	116	48L x 38H x 30.5W
PR8919TH	Tine	5.5HP Honda GX	117	48L x 38H x 30.5W
PR0606TB	Tine	6HP Briggs & Stratton Intek OHV	120	48L x 38H x 30.5W
PR0605FH	Flail	5HP Honda GC	117	48L x 38H x 30.5W
PR8919FH	Flail	5.5Hp Honda GX	118	48L x 38H x 30.5W
PR0606FB	Flail	6HP Briggs & Stratton Intek OHV	121	48L x 38H x 30.5W

APV All Purpose Litter Vacuums

Versatile • Tough • Unrivaled Vacuum Power



Impeller is Designed with Anti-Wrap Ring



Model LV0265H
Also Available With Hose

SPECIFICATIONS

Engines	Briggs & Stratton or Honda, two engine sizes
Intake	30" wide
Fan Housing	12 gauge steel
Impeller	14" steel, 4-blade
CFM	1750 reducing debris 5 to 1
Housing	Rotationally molded high impact polyethylene
Tires	14" multi purpose hubs and 1/2" ball bearings
Collection Bag	10 cu. ft. easy on/off, heavy duty synthetic polyester felt material, sturdy plastic bottom tray
Debris Deflector	Aids in safety, efficiency and slowing the speed of debris while directing the debris to the side of the bag Instead of the back allowing for maximum bag fill
Safety	Lanyard on the bag, if bag is removed the machine will not run
Height Adjustment	Variable for debris pick up while the handle remains at the same position
Handles	Ergonomically designed soft grip, 1" tubular steel, supporting the large collection bag Remote control throttle Folds down for easy storage
Hose	Conveniently mounted, ready to use, easy grip handle

Introduced in the early 1960's with superior performance and unique features
The only litter vacuum available with an on-board hose as a standard feature
Strong, yet lightweight construction withstands years of use in tough applications
A highly productive, all terrain litter vacuum
Unsurpassed suction power for picking up debris, plastic bottles, cans, leaves and twigs
30" wide intake for rapid pickup
Debris reduction of 5:1

APV All Purpose Litter Vacuums



Extended Reach Hose



Built in Lever Control
Activates On-Board Hose



Model LV02675BF
Also Available Without Hose

MODEL	ENGINE / APPROX. HP	WEIGHT (LBS)	OVERALL DIMENSIONS (IN)
LV0265H	6.5HP Honda GS, w/out hose	121	68L x39H x 30W
LV0265HF	6.5HP Honda GS, w/hose	144	68L x39H x 30W
LV02675B	6.75HP Briggs & Stratton Intek OHV, w/out hose	129	68L x39H x 30W
LV02675BF	6.75HP Briggs & Stratton Intek OHV, w/hose	152	68L x39H x 30W

ACCESSORIES	PART NO.
Polyester felt, standard bag	410116
Nylon bag for wet conditions	410095
Canvas bag for dusty conditions	410117
Dust cover for use with nylon bag 410095	410131
4" x 10' hose attachment conversion kit	K-410131

Vac 35[®] Litter Vacuums

Powered by Gasoline • Battery • Propane



Gasoline



Battery

SPECIFICATIONS

Engines	Briggs & Stratton, Honda, Kawasaki or Kohler
Transmissions	Self propelled with 4 forward speeds from 1.5 to 6 mph Push Hydro – Static available in the fall of 2008
Fueled by	Gasoline, propane or battery
Intake	30" for cleaning up to 30,000 sq ft per hour Rotationally molded high impact resistant polyethylene Rubber skirt and corner guards
Housing	Tough but light weight high impact molded polyethylene containing a foam backed steel liner in critical wear areas providing durability while reducing noise and vibration
Impeller	5-blade aluminum/magnesium alloy
CFM	2000+, reducing debris down from 8 to 1
Deflector	Aerodynamic, controls airflow directing debris downward for greater degree of fill
Chassis	12 gauge welded steel
Handles	Plow type 1" tubular steel
Tires/rear	5" x 14" fully pneumatic, deeply cleated and mounted on heavy duty steel wheels
Caster/front	Single for hard surfaces and dual for turf Variable height adjustment
Collection Bag	11 cu. ft. synthetic poly felt bag comes standard with platform models and a 9 cu ft. bag comes when a platform is not required



Optional Sulky Seat

The original industrial vacuum brought to the market in the mid 1960's
14 models available to handle a wide variety of applications on either hard or turf surfaces
Unequaled vacuum power for picking up debris, cans, plastic & glass bottles
Deflector design results in greater fill rate and for operator protection
Designed to make the job easier & more productive
Capable of cleaning over 30,000 sq. ft per hour
Debris reduction of 8:1

Vac 35[®] Litter Vacuums



Optional Magnetic Strip



No Emissions Discharge



Turf Model w/ Sully



Propane

MODEL	ENGINE / APPROX. HP	WEIGHT (LBS)	OVERALL DIMENSIONS (IN)
PV0165BT	6.5HP Briggs & Stratton Intek OHV, Push, Turf w/out bag platform	137	80L x 41H x 30W
PV0165BF	6.5HP Briggs & Stratton Intek OHV, Push, Floor w/bag platform	145	80L x 41H x 30W
PV8708HT	8HP Honda GX, Push, Turf w/out bag platform	167	80L x 41H x 30W
PV8708HF	8HP Honda GX, Push, Floor w/bag platform	175	80L x 41H x 30W
PV9908KLP	8HP Kawasaki OHV propane, Push, Floor w/bag platform	212	80L x 41H x 30W
PV0285KT	8.5HP Kohler, Push, Turf w/out bag platform	174	80L x 41H x 30W
PV0285KF	8.5HP Kohler, Push, Floor w/bag platform	182	80L x 41H x 30W
PV0110BT	10HP Briggs & Stratton Intek OHV, Push, Turf w/out bag platform	162	80L x 41H x 30W
PV0110BF	10HP Briggs & Stratton Intek OHV, Push, Floor w/bag platform	170	80L x 41H x 30W
PV0285KSP/H	8.5HP Kohler, Self propelled, Floor w/bag platform	249	80L x 41H x 30W
PV9308HSP/H	8HP Honda GX, Self propelled, Floor w/bag platform	242	80L x 41H x 30W
PV 9908KSP/H	8HP Kawasaki OHV propane, Self propelled, Floor w/bag platform	276	80L x 41H x 30W
PV0110BSP/H	10HP Briggs & Stratton Intek OHV, Self propelled, Floor w/bag platform	234	80L x 41H x 30W
PV7201BPQP	1.6HP 24V battery, Push, Floor w/bag platform	427	80L x 41H x 30W

H = Hydro-Static transmission w/reverse available Fall 2008

ACCESSORIES		PART NO.
Bag liner	Extends life of bag and makes debris disposal easier	350805
24" Intake	Used for high velocity intake	MA-113-D
36" Intake	Used for wide areas	MA-120-D
Exhaust hose	Used for dispensing debris into large containers, 6" x 15'	MA-118-B

Additional accessories on page 19

Truck Loaders

Heavy Duty • Industrial Grade • Incredible Performance • Improves Productivity



16HP
Model PL9616B

10HP
Model PL0310B

SPECIFICATIONS

Engine	24HP Honda V-Twin OHV w/electric start for top of the line horsepower 16HP Briggs & Stratton V-Twin OHV 10HP Briggs & Stratton Intek OHV
Impeller	16 & 24HP models, heavy duty 4-blade steel, reducing debris up to 12 to 1
CFM	10HP is 2500 16HP is 5300 24HP is 6300
Housing	16 & 24HP models, 12 gauge fully welded steel 10HP, rotationally molded high impact polyethylene
Inner Lining	16 & 24HP 14 gauge, 10 HP 16 gauge fully welded providing strength and long lasting durability
Frame	1-1/8" diameter welded tubular steel
Discharge Chute	12 gauge steel, 360 degree rotation provides easy and efficient unloading in any direction
Intake Hose	All models come with a lightweight, durable, pickup wand combined with a steel ribbed flexible hose. The intake hose is designed for quick disconnect with an automatic shut off switch. The machine will not run when hose is removed.
Tailgate Mount	Standard on all models and easy to operate
Complete list of accessories on page 19	

Overall rugged quality construction and design makes these the choice of grounds maintenance professionals

Perfect system for picking up leaves, grass clippings, mulch, plastic bottles, cans, litter and other bulk products

Optional Discharge 18" Extension
16 & 24HP



10HP
Impeller



16 & 24HP
Impeller



24HP
Model PL0524H



MODELS	ENGINE / APPROX. HP	WEIGHT (LBS)	DIMENSIONS (IN)
PL0310B	10HP Briggs & Stratton Intek OHV Complete with 8" x 15' hose kit	158	35L x 30H x 24W*
PL9616B	16HP Briggs & Stratton V-Twin OHV Complete with 10" x 15' hose kit & 10" hose cradle	262	40L x 49H x 24W*
PL0524H	24HP Honda V-Twin OHV w/6 gal fuel tank, Complete with 12" x 12" hose kit, 12" hose cradle, battery & hour meter	452	40L x 39H x 29W*

*Base Unit

Parker Product Line

MODEL #	ENGINE (APPROX. HP)	WEIGHT (LBS)	OVERALL DIMENSIONS (IN)
TURF SWEEPERS			
AS8636	36" Arlington® tow-behind, hard bottom	70	42L x 35H x 42W
TE9036	36" Trailette® heavy duty tow-behind, hard bottom	85	44L x 35H x 42W
SU8336	36" Suburbanite® tow-behind, hard bottom	113	62L x 32H x 46W
SU0536M	36" Suburbanite® tow-behind, mesh bottom	113	62L x 32H x 46W
EM83100	100" Estate Master® tow-behind, hard bottom	369	200L x 32H x 108W
EM05100M	100" Estate Master® tow-behind, mesh bottom	369	200L x 32H x 108W
HURRICANE® PLUS BLOWERS			
HT0805H	5HP Honda GC	112	44L x 38H x 24W
HT0806B	6HP Briggs & Stratton Intek OHV	135	44L x 38H x 24W
HT0808B	8HP Briggs & Stratton Intek OHV	154	50L x 38H x 24W
HT0809H	9HP Honda GX	158	50L x 38H x 24W
HT0810B	10HP Briggs & Stratton Intek OHV	162	50L x 38H x 24W
HT0816B	16HP Briggs & Stratton V-Twin OHV	205	48L x 40H x 31W
THATCH-O-MATIC® DETHATCHERS			
PR0605TH	5HP Honda GC, tine	116	48L x 38H x 30.5W
PR8919TH	5.5HP Honda GX, tine	117	48L x 38H x 30.5W
PR0606TB	6HP Briggs & Stratton Intek OHV, tine	120	48L x 38H x 30.5W
PR0605FH	5HP Honda GC, flail	117	48L x 38H x 30.5W
PR8919FH	5.5HP Honda GX flail	118	48L x 38H x 30.5W
PR0606FB	6HP Briggs & Stratton Intek OHV, flail	121	48L x 38H x 30.5W
APV ALL PURPOSE LITTER VACUUMS			
LV0265H	6.5HP Honda GS, w/out hose	121	68L x 39H x 30W
LV0265HF	6.5HP Honda GS, w/hose	144	68L x 39H x 30W
LV02675B	6.75HP Briggs & Stratton Intek OHV, w/out hose	129	68L x 39H x 30W
LV02675BF	6.75HP Briggs & Stratton Intek OHV, w/hose	152	68L x 39H x 30W
VAC-35® LITTER VACUUMS			
PV0165BT	6.5HP Briggs & Stratton Intek OHV, Push, Turf w/out bag platform	137	80L x 41H x 30W
PV0165BF	6.5HP Briggs & Stratton Intek OHV, Push, Floor w/bag platform	145	80L x 41H x 30W
PV8708HT	8HP Honda GX, Push, Turf w/out bag platform	167	80L x 41H x 30W
PV8708HF	8HP Honda GX, Push, Floor w/bag platform	175	80L x 41H x 30W
PV9908KLP	8HP Kawasaki OHV propane, Push, Floor w/bag platform	212	80L x 41H x 30W
PV0285KT	8.5HP Kohler, Push, Turf w/out bag platform	174	80L x 41H x 30W
PV0285KF	8.5HP Kohler, Push, Floor w/bag platform	182	80L x 41H x 30W
PV0110BT	10HP Briggs & Stratton Intek OHV, Push, Turf w/out bag platform	162	80L x 41H x 30W
PV0110BF	10HP Briggs & Stratton Intek OHV, Push, Floor w/bag platform	170	80L x 41H x 30W
PV0285KSP/H	8.5HP Kohler, Self propelled, Floor w/bag platform	249	80L x 41H x 30W
PV9308HSP/H	8HP Honda GX, Self propelled, Floor w/bag platform	242	80L x 41H x 30W
PV 9908KSP/H	8HP Kawasaki OHV propane, Self propelled, Floor w/bag platform	276	80L x 41H x 30W
PV0110BSP/H	10HP Briggs & Stratton Intek OHV, Self propelled, Floor w/bag platform	234	80L x 41H x 30W
PV7201BPQP	1.6HP 24V battery, Push, Floor w/bag platform	427	80L x 41H x 30W
H = Hydro-Static transmission w/reverse available Fall 2008			
TRUCK LOADERS			
PL0310B	10HP Briggs & Stratton Intek OHV Complete with 8" x 15' hose kit	158	34.5L x 30H x 24.25W*
PL9616B	16HP Briggs & Stratton V-Twin OHV Complete with 10" x 15' hose kit & 10" hose cradle	262	40L x 49H x 29W*
PL0524H	24HP Honda V-Twin OHV w/6 gal fuel tank Complete with 12" x 12" hose kit, 12" hose cradle, battery & hour meter	452	40L x 39H x 29W*

*Base unit

ACCESSORIES

PART #	DESCRIPTION
--------	-------------

LAWN SWEEPERS

MA-475-D	Estate Master® hitch
360901	Mesh bottom basket
SA-1057-C	Hard bottom basket

HURRICANE® PLUS BLOWERS

SA-501	Pneumatic swivel castor assembly
--------	----------------------------------

THATCH-O-MATIC® POWER RAKES

MA-551-D	Flail reel assembly w/out pulley
MA-552-D	Knife reel assembly w/out pulley
MA-553-D	Tine reel assembly w/out pulley
MA-682	Flail reel assembly w/pulley
MA-683	Knife reel assembly w/pulley
360911	Black bag kit

APV ALL PURPOSE LITTER VACUUM

410095	10 cu. ft Bag, discharge, black poly felt (standard)
410116	10 cu. ft Bag, discharge, black poly nylon mesh (wet conditions)
410117	10 cu. ft Bag, discharge, canvas (dusty conditions)
410131	Dust cover for use with # 410095
K-410131	4" x 10' hose attachment conversion kit

VAC-35® LITTER VACUUMS

350265	6" x 15' hose kit
350800	11 cu. ft Bag, black poly felt w/lanyard, for units w/ bag platform & battery powered
350803	11 cu. ft Egg Shell bag (hard inner liner) for units w/ bag platform
350804	11 cu. ft Dust bag cover nylon, for units w/ bag platform
350805	Bag liner, extends life of bag and makes debris disposal easier. Fits 9 and 11 cu. ft bags
350850	9 cu. ft Bag, black poly felt, for units w/o bag platform
350852	9 cu. ft Dust bag cover, nylon, for units w/o bag platform
350860	11 cu. ft Bag, nylon mesh, w/lanyard (wet conditions) for units w/ bag platform
350861	9 cu. ft Bag, nylon mesh, w/lanyard (wet conditions) for units w/o bag platform
350870	11 cu. ft Bag, canvas w/lanyard (dusty conditions) for units w/ bag platform
65-747-B	LP tank 20 lbs / 5 gal
957731	Charger – 24VDC, 20A, 120 VAC

PART #	DESCRIPTION
--------	-------------

VAC-35® LITTER VACUUMS

MA-113-D	24" intake housing
MA-118-B	6" x 15' exhaust hose
MA-120-D	36" intake housing complete
MA-231-D	30" scraper brush kit
MA-251-D	30" intake housing
MA-425-D	30" magnetic rod kit
MA-471-D	Bag platform
MA-530-D	Dual wheel caster assembly
MA-620-D	8" x 15' hose kit
MA-622-D	4" x 15' hose kit
MA-684-D54	Sulky seat

PORTABLE TRUCK LOADERS

360220	10" x 15' heavy duty hose kit (16 HP only)
360226	18" extension kit
360246	8" x 15' discharge hose kit (16 HP only)
360255	8" x 15' heavy duty hose kit (16 HP only)
360258	Hitch mount
360349	Swing gate
MA-607-D	Yard collection bag, 1 cu yd.
MA-608-D	8" x 8' extension hose
MA-620-D	8" x 15' hose kit, heavy duty (10 HP only)

NOTES

Technicalsupport@parkersweeper.com
Warranty@parkersweeper.com

Specifications, descriptions and illustrative material in this catalog are as accurate as known at the time of the publication, but are subject to change without notice.



Parker Company, Inc.

**3700 East Anne Street • Phoenix, AZ 85040 USA
Tel: 888-288-5945 • Fax: 602-453-3929**

**www.parkersweeper.com
parker@parkersweeper.com**